


**75cm 5 burner gas cooktop with recessed burners, 22MJ/h dual valve wok, cast iron trivets, and automatic integrated ignition.**



## Product Details

### FEATURES

---

22MJ dual valve, triple ring wok burner

Cast iron pan support

Electronic ignition

Laser etched graphics

---

Flame failure safety device

Natural gas

Optional LPG

---

### BENEFITS

---

#### POWERFUL PRECISION

The powerful dual-valve, triple-ring wok burner provides exceptional levels of control, from as low as 1 MJ for simmering, and up to 22MJ of intense heat, perfect for searing or stir-fried cooking.

---

#### STURDY, STYLISH PAN SUPPORTS

The robust cast iron pan supports are designed to enhance the cooktop and create a professional appearance in your kitchen.

---

#### PRECISE CONTROL. EASY IGNITION

The easy-to-use, stainless steel control knobs not only deliver precise adjustments to the flame intensity but also quick ignition with the simple depressing of the knob.

---

#### SMART SAFETY PRECAUTIONS

If the flame of your gas burner is accidentally extinguished, the flame failure device will switch off the gas supply to ensure the utmost safety, providing you with peace of mind.

---

## Specifications

### PRODUCT PROFILE

|                                 |                 |
|---------------------------------|-----------------|
| Domestic warranty details (yrs) | 5               |
| Cooktop type                    | gas             |
| Materials/Colour                | stainless steel |
| Knob Finish                     | stainless steel |

### CONTROLS

|                      |  |
|----------------------|--|
| Controls of Cooktops | knob   |
| Position of controls | front  |
| Features of Cooktop  | flame failure,optional LP,High powered wok burner,Cast iron trivets,Dual Valve Flame Control |

### ELEMENTS/BURNERS

#### LEFT FRONT ZONE

|                 |                            |
|-----------------|----------------------------|
| Left front zone | dual valve triple ring wok |
|-----------------|----------------------------|

### DIMENSIONS

|                          |     |
|--------------------------|-----|
| Total product width (mm) | 750 |
| Total product depth (mm) | 510 |
| Cut out width (mm)       | 720 |
| Cut out depth (mm)       | 480 |
| Cut out height (mm)      | 60  |

### FEATURES

|               |            |
|---------------|------------|
| Trivets       | cast iron  |
| Ignition type | electronic |

### CENTRE FRONT ZONE

|                   |        |
|-------------------|--------|
| Centre front zone | simmer |
|-------------------|--------|

**CENTRE REAR ZONE**

---

|                  |            |
|------------------|------------|
| Centre rear zone | semi-rapid |
|------------------|------------|

---

**RIGHT REAR ZONE**

---

|                 |            |
|-----------------|------------|
| Right rear zone | semi-rapid |
|-----------------|------------|

---

**GAS SPECIFICATIONS**

---

|                         |      |
|-------------------------|------|
| Maximum gas rating (NG) | 44.3 |
|-------------------------|------|

---

**RIGHT FRONT ZONE**

---

|                  |            |
|------------------|------------|
| Right front zone | semi-rapid |
|------------------|------------|

---

**ELECTRICAL SPECIFICATIONS**

---

|                   |      |
|-------------------|------|
| Connected load KW | 0.01 |
|-------------------|------|

---

|                               |    |
|-------------------------------|----|
| Maximum current rating (amps) | 10 |
|-------------------------------|----|

---

|                    |                 |
|--------------------|-----------------|
| Type of connection | 10A plug & lead |
|--------------------|-----------------|

---

**SHIPPING**

---

|                      |       |
|----------------------|-------|
| Shipping Volume (m3) | 0.069 |
|----------------------|-------|

---

|                             |     |
|-----------------------------|-----|
| Pack Dimensions Height (mm) | 150 |
|-----------------------------|-----|

---

|                           |     |
|---------------------------|-----|
| Pack Dimension Width (mm) | 810 |
|---------------------------|-----|

---

|                           |     |
|---------------------------|-----|
| Pack Dimension Depth (mm) | 565 |
|---------------------------|-----|

---

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: [customercare@aegaustralia.com.au](mailto:customercare@aegaustralia.com.au)

web: [www.aeg.com/au](http://www.aeg.com/au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.aeg.com/au](http://www.aeg.com/au)