



Mecca Wall Basin/Bath Mixer Separate Back Plate Handle Up Trim Kits Only

Nero




Versions:202401


Drawing	Specifications	Packaging Includes
	Watermark License WM-060073 Temperature Rating Min 1°C-Max 75°C Pressure Rating Min 150kpa - Max 500kpa	1x Spout 2x Plates 1x Handle 1x Cartridge Bell 1x Dressing Ring
Finish & SKU		
 Chrome NR221910d(120/160/185/230/260)tCH	 Gun Metal NR221910d(120/160/185/230/260)tGM	
 Matte Black NR221910d(120/160/185/230/260)tMB	 Brushed Gold NR221910d(120/160/185/230/260)tBG	
 Brushed Bronze NR221910d(120/160/185/230/260)tBZ	 Brushed Nickel NR221910d(120/160/185/230/260)tBN	
 Matte White NR221910d(120/160/185/230/260)tMW		

*Dimensions are nominal measurements only.


Installation Instruction For Trim Kits Only



- 1. Drill a 50mm and a 40mm hole in the ceramic tile, then position it as shown in the above diagram.
- 2. Undo the self-tapping screw to remove the plastic sleeve, and release the grub screws to remove the water testing.



- 3. Insert the O ring to the dressing bell groove, and slide the dressing bell onto cartridge.
- 4. Apply waterproof treatment to the area indicated in the diagram above.
- 5. Tighten up the dressing ring on the cartridge bell.



- 6. Slide the backplates and washer onto the wall, set the spout in place, and secure it tightly using the grub screw.
- 7. Attach the washer to the cartridge rod, position the handle, tighten it with a grub screw using an Allen key, and cap the grub screw hole.

Please note: there is a washer between backplate and the spout.

Nero

info@nerotapware.com.au
nerotapware.com.au

11-13 Buontempo Road
Carrum Downs Vic 3201

