

**170 bottle\* single zone cellaring cabinet for red and white wines. \*based on a Bordeaux shaped bottle**



## Product Details

### FEATURES

---

Slide-out wooden shelves

Winter function heating system

Visual alarm

Reversible door

---

Digital temperature display

LED internal lighting

---

### BENEFITS

---

#### Stable Temperature

Our wine cabinets maintain a stable temperature to keep your wine in perfect cellaring conditions. This is thanks to triple glazed glass, insulated side panels and interactions between a compressor and thermostat. (Digital display varies by model)

#### UV Protected Dark Storage Area

UV rays negatively impact the quality of your wine. Our cabinets eliminate this threat by incorporating UV treated tinted glass doors, dark interiors and dimmed internal LED lights.

---

#### No Vibration

To protect the storage life and quality of your wine, our cabinets have been designed to create a vibration proof environment by including an externally housed compressor, rubber shock absorbers and vibration absorbing wooden shelves.

---

## Specifications

### WINE CELLARS

Domestic warranty details (yrs)	2 years
Installation Type	Both
Finish	Seamless Stainless Steel
Door Type	Glass Door
Door Construction	Triple Glazed, UV treated
Handle	None
Fridge door opening	Reversible
Refrigerant	R600a
Easy Capacity (Bottles)	155
Max Capacity (Bottles)	170
Main Function	Cellar red & white wine
Alternate Function	Cellar or serve red or white wine
No of Zones	1

### DIMENSIONS

Height (mm)	1770
Width (mm)	595
Depth (mm)	610

## WINE CELLARS

Temperature Range Zone 1 (deg)	6 - 18 Degrees C
Depth Door Open (mm)	1275
Air space at sides (mm)	40
Air space above cabinet (mm)	50
Joinery cut out dimension- minimum height (mm)	1820
Joinery cut out dimension- minimum width (mm)	635
Joinery cut out dimension- minimum depth (mm)	640
Door depth including seal (mm)	50
Plinth depth (mm)	85
Plinth Height (mm)	85
Rear Spacer (mm)	30
Weight Unloaded	105
Weight Loaded	271
Power Supply	240V / 10AMP

## WINE CELLARS

Electricity Consumption (kWh/Day)	1
Display Panel	LED Digital Display
Castors and Feet	4 Adjustable Feet
Internal Heater	Yes
Lock	Yes
Alarm	Visual
Lighting	Blue LED
Number of Shelves	15
Shelving Material	Wood with Stainless Steel Front
Shelving Type	14 Sliding, 1 Half
Shipping Volume (m3)	0.90
Shipping Weight (Kg)	118
Pack Dimensions Height (mm)	1860
Pack Dimension Width (mm)	650
Pack Dimension Depth (mm)	750

WINE CELLARS


---

40 Ft HC

51

---

# Dimensions



**NOTE: Illustrations not to scale.**  
All dimensions in millimetres.

\*Minimum 10mm required whether proud-fit or flush-fit, however 30mm is recommended on the opening edge for easy finger grip access when installed flush-fit.

For complete installation instructions, please refer to the user manual for this product.

**NOTE:** If a vertical vent space ( $V_x$ ) of 100mm is provided, then a minimum top ventilation gap ( $T_x$ ) of 50mm is sufficient, but otherwise minimum  $T_x$  of 100mm is required.

	Width	Depth	Height
Product dimensions	595	610	1770
Installation	655	640	1770 + $T_x$

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)